

- [1] M.-A. Guérard and D. Grenier, "Direction of arrival detection of acoustic echoes using source elimination method," *Signal Processing Elsevier*, Sept. 2015.
- [2] P. Djiknavorian and D. Grenier, "A new approximation applied on the number of focal elements of belief function and their length," in *International Conf. on Scalable Uncertainty Management (SUM)*, Sept. 2015. Submitted.
- [3] M. Gallichand and D. Grenier, "Récupération et localisation expérimentales de fronts d'onde sonore distordus," *revue Traitement du signal*, Sept. 2015. Soumis.
- [4] M. Gallichand and D. Grenier, "Récupération de fronts d'ondes sonores distordus," in *Congrès AC-FAS*, (Rimouski (Canada)), p. <http://www.acfas.ca/evenements/congres/programme/83/200/210/d>, mai 2015.
- [5] A. Blanchard-Lapierre and D. Grenier, "The JD-TDOA Algorithm Applied to Signal Recovery: A Performance Analysis," *Springer Signal, Image and Video Process. J.*, July 2015. Soumis (SIVP-D-15-00417).
- [6] P. Djiknavorian and D. Grenier, "Naval ship classification and identification with generalized belief functions using a new approximation algorithm," in *NATO-ARW (Advanced Research Workshop) Security Challenges Through Data Analytics and Decision Support*, (Aghveran (Armenia)), June 2015.
- [7] P. Valin, P. Djiknavorian, and D. Grenier, *Advances and Applications of DSMT for Information Fusion*, vol. 4, pp. 271–277. American Research Press, Feb. 2015. DSMT Theory for Fusing Highly Conflicting ESM Reports.
- [8] R. Ghayoula, B. Gosselin, D. Grenier, A. Smida, and A. Gharsallah, "Efficient Adaptive Beam Steering Using TDOA-DOA Localization for Smart Antenna," *Journal of Electromagnetic Waves and Applications*, Jan. 2015. Submitted TEWA-2014-0734.
- [9] F. Rhéaume and D. Grenier, "Class-conditional spike-timing dependent plasticity training of Liquid State Machines for temporal pattern recognition applications," *Computational Intelligence J.*, Dec. 2014. Submitted #COIN-OA-12-13-1974.
- [10] D. Grenier, B. Elahian, and A. Blanchard-Lapierre, "Joint delay and direction of arrivals estimation in mobile communications," *Springer Signal, Image and Video Process. J.*, Sept. 2014. DOI 10.1007/s11760-014-0700-1.
- [11] R. Ghayoula, A. Smida, A. Gharsallah, and D. Grenier, "Smart Base Station Antenna Performance for Cellular Radio Systems," *J. of Eng. Science and Technology Review*, vol. 6, pp. 38–47, Dec. 2013.
- [12] P. Djiknavorian and D. Grenier, "A new approximation applied on the number of focal elements of belief function and their length," *Journal of Applied Mathematics*, Aug. 2013. Submitted # 278026.
- [13] R. Ghayoula, A. Smida, D. Grenier, and A. Gharsallah, "Hybrid MUSIC-Dolph-Chebyshev Algorithm for a Smart Antenna System," *International Journal of Communication Systems*, April 2013. Accepted IJCS-12-0800 (wileyonlinelibrary.com). DOI: 10.1002/dac.2568.

- [14] A. Smida, R. Ghayoula, N. Nemri, H. Trabelsi, A. Gharsallah, and D. Grenier, "Phased Arrays in Communication System based on Taguchi-Neural Networks," *International J. of Communication Systems*, 2013. Published online in wileyonlinelibrary.com DOI: 10.1002/dac.2625.
- [15] A. Smida, R. Ghayoula, A. Ferchichi, A. Gharsallah, and D. Grenier, "Planar Antenna Array Pattern Synthesis Using a Taguchi Optimization Method," *International J. on Communications Antenna and Propagat. (IRECAP)*, vol. 3, no. 3, pp. 158–162, 2013.
- [16] E. Racine and D. Grenier, "Blind Identification for Communication Signals: An Approach Exploiting Sampling Phase Diversity," *REV Journal on Electronics and Communications*, vol. 2, pp. 68–91, Dec. 2012. Invited paper.
- [17] C. Liu, A.-L. Joussetme, D. Grenier, and E. Bossé, "Development of Measures of Uncertainty for Information Fusion," *Information Fusion Journal*, Sept. 2012. Accepted IF11B07.
- [18] P. Djiknavorian, D. Grenier, and P. Valin, "New Metrics Between Bodies of Evidence," *J. of Emerging Techno. in Web Intelligence*, vol. 4, pp. 264–272, Aug. 2012.
- [19] E. Racine and D. Grenier, "An Exponential Approach to Signal Parameter Estimation," in *International Conf. on Inform. Sc. Signal Process. and Applications*, (Montreal (Canada)), pp. 585–590, ISSPA2012, July 2012.
- [20] É. Dorion, J. Brodeur, D. Grenier, and J.-Y. Chouinard, "A Unified Taxonomy of Heterogeneity Types for Ontology Alignment," in *International Semantic Web Conf.*, June 2012. Submitted # 44.
- [21] P. Viet-Ha, J.-Y. Chouinard, D. Grenier, H.-T. Huynh, X. Wang, and Y. Wu, "Spatio-Temporal Channel Characterization: Theoretical Framework and Applications in MIMO System Design," *Annals of telecommunications*, vol. 1, pp. 57–70, Jan. 2012.
- [22] R. Ghayoula, L. Gargouri, A. Smida, A. Troudi, A. Gharsallah, and D. Grenier, "Sidelobe Reduction in Array-Pattern Synthesis Using Taguchi Method," *IET Communications*, Sept. 2011. Submitted COM-2011-0636.
- [23] P. Viet-Ha, D. Grenier, and J.-Y. Chouinard, "A Novel Multi-Dimensional Spectrum Estimation Technique using Antenna Array Displacement," *REV Journal on Electron. & Comm.*, vol. 1, pp. pp. 160–166, July 2011.
- [24] L.-P. Gill, D. Grenier, and J.-Y. Chouinard, "Use of XM radio satellite signal as a source of opportunity for passive coherent location," *IET Radar, Sonar & Navigation*, vol. 5, pp. 536–544, June 2011.
- [25] F. Rhéaume, D. Grenier, and E. Bossé, "Multistate combination approaches for Liquid State Machine in Supervised Spatiotemporal Pattern Classification," *Neurocomputing Elsevier*, vol. 74, pp. 2842–2851, May 2011.
- [26] E. Racine and D. Grenier, "An improvement on EVESPA for beamforming and direction of arrival estimation," *EUSIPCO J. on Advances on Signal Process.*, March 2011. doi:10.1155/2011/283020.
- [27] F. Rhéaume and D. Grenier, "Exploration of the dynamics of spiking neural networks," Tech. Rep. TM 2010-0400, RDDC, Dec. 2010. 22 pages.

- [28] P. Djiknavorian, A. Arnaud, D. Grenier, and P. Valin, “Étude comparative d’approximation de fonctions de croyances généralisées,” in *Logique floue et applications (LFA)*, (Lannion (France)), nov. 2010. # 111.
- [29] P. Viet-Ha, D. Grenier, and J.-Y. Chouinard, “A Novel Multi-Dimensional Spectrum Estimation Technique,” in *IEEE International Conf. on Advanced Technologies for Communications*, (Ho Chi Minh City (Viet Nam)), pp. 50–55, Oct. 2010. (acceptation rate <50%).
- [30] L.-P. Gill, D. Grenier, and J.-Y. Chouinard, “Réseau d’antennes à chevauchement d’éléments pour la détection passive cohérente d’échos radar à faible puissance,” *revue Traitement du Signal*, vol. 27, pp. 389–419, sept. 2010.
- [31] P. Djiknavorian, P. Valin, and D. Grenier, “Approximations of belief functions for fusion of ESM reports within the DS<sub>m</sub> framework,” in *Fusion 2010 Conf.*, (Edinburgh (UK)), July 2010. We2.6.4.
- [32] M. Moutairou, G. Delisle, and D. Grenier, “Ray-Tracing Model Calibration for Underground Mines Propagation Prediction at High UHF Frequencies,” in *IEEE International Symposium on Antennas and Propagation*, (Toronto (CANADA)), USNC/CNC/URSI Meeting, July 2010. IF416.9.
- [33] E. Racine and D. Grenier, “A narrow-band second order blind estimation algorithm for beamforming and direction of arrival estimation,” *Signal Processing Journal*, June 2010. Submitted SIGPRO-D-10-00646.
- [34] P. Djiknavorian, D. Grenier, and P. Valin, “Approximation in DS<sub>m</sub> theory for fusing ESM reports,” in *Workshop on Theory of Belief Functions*, (Brest (France)), April 2010. Paper #64.
- [35] M. Moutairou, G. Delisle, and D. Grenier, “Experimentally Assessed Underground Mines Propagation Model at High UHF Frequencies,” in *4th European Conference on Antennas and Propagation EuCAP*, (Barcelona (SPAIN)), April 2010. Tue-67.
- [36] P. Valin, P. Djiknavorian, E. Bossé, and D. Grenier, “Fusion of ESM reports through Dempster-Shafer and Dezert-Smarandache theories,” in *SPIE - Sensor Fusion*, (Orlando (FL)), April 2010. Paper #7710-5.
- [37] P. Valin, P. Djiknavorian, E. Bossé, and D. Grenier, “Comparative study of evidential reasoning schemes for fusing ESM reports under varying sensor uncertainty and fusion unreliability,” in *Workshop on Information Fusion Topics-2009*, (Skövde (Sweden)), pp. 68–73, Oct. 2009.
- [38] P. Valin, P. Djiknavorian, and D. Grenier, “DS<sub>m</sub> theory for fusing highly conflicting ESM reports,” in *Fusion 2009 Conf.*, (Seattle (WA)), July 2009. WeB5.2.
- [39] L.-P. Gill, D. Grenier, and J.-Y. Chouinard, “Suppression du signal en trajet direct par analyse propre dans un système de détection passive cohérente,” in *Can. Conf. on Electr. and comp. Eng.*, (St-John’s NF (CANADA)), May 2009. W3G-1.
- [40] M. Florea, A.-L. Joussetme, D. Grenier, and E. Bossé, “Robust Combination Rules for Evidence Theory,” *Information Fusion*, vol. 10, pp. 183–197, April 2009.
- [41] P. Djiknavorian, P. Valin, and D. Grenier, *Advances and Applications of DS<sub>m</sub>T for Information Fusion*, vol. 3, ch. 19, pp. 503–518. American Research Press, 2009. Fusion of ESM allegiance reports using DS<sub>m</sub>T.

- [42] P. Djiknavorian, P. Valin, and D. Grenier, “Dezert-Smarandache theory applied to highly conflicting reports for identification and recognition – Illustrative example of ESM associations in dense environments,” Tech. Rep. TR 2008-537, RDDC, Dec. 2008. 34 pages.
- [43] M. Hadzagic, H. Michalska, and D. Grenier, “Evaluation of the Integrated Ornstein-Uhlenbeck Process in Application to Ship Track Estimation,” in *IASTED Signal & Image Process.*, vol. 10, (Kailua-Kona (HI)), pp. 205–210, Aug. 2008.
- [44] P. Viet-Ha, J.-Y. Chouinard, D. Grenier, and H. T. Huynh, “Spatial Channel and System Characterization,” in *ATC Conf.*, pp. 88–91, Aug. 2008. (acceptation rate : 42% ).
- [45] C. Nerguizian, C. Despins, S. Affes, G. I. Wassi, and D. Grenier, “Neural network and fingerprinting-based geolocation over time-varying indoor channels,” in *IEEE Transactions on Wireless Communications and Mobile Computing*, June 2008. Soumis (WCM-08-0233).
- [46] H. Bertrand, D. Grenier, and S. Roy, “Experimental antenna array calibration with artificial neural networks,” *Signal Processing Journal*, vol. 88, pp. 1152–1164, May 2008.
- [47] E. Amador, G. Delisle, and D. Grenier, “Reverberation Chamber as a Synthesis Instrument for Rayleigh and Rice Channels,” in *IASTED Antenna, Radars and Wave Propagation*, (Baltimore (MD)), April 2008. 616-037.
- [48] M. Florea, A.-L. Joussetme, D. Grenier, and E. Bossé, “Approximation techniques for the transformation of fuzzy sets into random sets,” *Fuzzy Sets and Systems (Elsevier)*, vol. 159, pp. 270–288, Feb. 2008.
- [49] C. Liu, A.-L. Joussetme, D. Grenier, and E. Bossé, “General Uncertainty Measure of a Body of Evidence,” *IEEE Trans. on Systems, Man and Cybernetics, Part A*, Feb 2008. Submitted SMCA06-02-0051.
- [50] C. Liu, D. Grenier, A.-L. Joussetme, and E. Bossé, “Reducing Algorithm Complexity for Computing an Aggregate Uncertainty Measure,” *IEEE Trans. on Systems, Man and Cybernetics, Part A*, vol. 37, pp. 669–679, Sept. 2007.
- [51] P. Djiknavorian, D. Grenier, and P. Valin, “Analysis of information fusion combining rules under the DSm theory using ESM inputs,” in *Fusion 2007 Conf.*, (Québec (CANADA)), July 2007. Paper #1380.
- [52] A.-L. Joussetme, C. Liu, D. Grenier, and E. Bossé, “Measuring ambiguity in the evidence theory,” *IEEE Trans. on Systems, Man and Cybernetics, part A*, vol. 36, pp. 890–903, Sept. 2006.
- [53] C. Nerguizian, C. Despins, S. Affes, G. Wassi, and D. Grenier, “Neural network and fingerprinting-based geolocation on time-varying channels,” in *IEEE PIMRC*, (Helsinki (Finland)), Sep 2006. TA6-2.
- [54] E. Bossé, P. Valin, A.-C. Boury-Brisset, and D. Grenier, “A Priori Knowledge Exploitation for Information Fusion,” *Journal of Information Fusion*, vol. 7, pp. 161–175, June 2006. Top25 of JIF until 2007.06.
- [55] P. Valin, F. Rhéaume, C. Tremblay, D. Grenier, A.-L. Joussetme, and E. Bossé, “Comparative Implementation of Two Fusion Schemes for Multiple Complementary FLIR Imagery Classifiers,” *Journal of Information Fusion*, vol. 7, pp. 197–206, June 2006.

- [56] H. Bertrand, D. Grenier, and S. Roy, "Experimental Antenna Array Calibration with ADaptive LLinear Neuron (ADALINE) Network," in *IEEE VTC2006-Spring*, (Melbourne (Australia)), May 2006. 3H-5 **Selected in the top 5 Best Award Papers.**
- [57] P. Djiknavorian and D. Grenier, *Advances and Applications of DSMT for Information Fusion*, vol. 2, ch. 15, pp. 365–430. American Research Press, 2006.
- [58] H. Joannis, P. Savoie, and D. Grenier, "Electrical Resistance of High Moisture Chopped Alfalfa," *Transactions of ASAE*, vol. 48, pp. 2363–2369, Nov. 2005.
- [59] E. Bossé, A.-L. Joussetme, D. Grenier, and P. Valin, "Comparaison of Two Decision Schemes in an Evidential Identity Information Fusion," *IEE Proc. Radar, Sonar & Propagation*, August 2005. To be submitted.
- [60] M. C. Florea, A.-L. Joussetme, D. Grenier, and E. Bossé, "Using fuzzy membership functions and belief functions in data fusion to solve object identification problems," *J. of Advanced Information Fusion*, July 2005. To be submitted soon.
- [61] H. Joannis, P. Savoie, and D. Grenier, "DC Resistance of high moisture alfalfa and corn as a function of time, temperature and moisture content," in *ASAE/CSAE Annual International Meeting*, (Tampa (FL)), July 2005.
- [62] C. Liu, A.-L. Joussetme, D. Grenier, and E. Bossé, "An information distance between bodies of evidence based on uncertainty measure," *Journal of Information Fusion*, July 2005. To be submitted soon.
- [63] G. I. Wassi, D. Grenier, C. Despains, and C. Nerguizian, "Radiolocation Using Fingerprinting Technique in an Underground Mining Environment," in *1st Internat. Workshop on Wireless Comm. in Underground and Confined Areas*, (Val-d'Or (CANADA)), pp. 163–166, June 2005.
- [64] M. C. Florea, A.-L. Joussetme, and D. Grenier, "Dempster-Shafer evidence theory through the years: limitations, practical examples, variants under conflict and a new adaptive combination rule," in *NATO-ASI Multisensor Data and Information Processing for Rapid and Robust Situation and Threat Assessment*, (Albena (Bulgaria)), pp. 16–27, May 2005.
- [65] M. Pearson, A. L'Espérance, D. Grenier, and A. Gérard, "Cartography of Sound Intensity with Manual Swipping Technique," in *Spring Conference on Environmental and Occupational Noise* (A. Society, ed.), (Banff (CANADA)), pp. 178–184, May 2005.
- [66] G. Wassi, D. Grenier, C. Nerguizian, and C. Despains, "Indoor Location using Received Signal Strength of IEEE 802.11b Access Point," in *CCECE*, (Saskatoon (CANADA)), May 2005. Paper #1568952996.
- [67] A.-L. Joussetme, D. Grenier, and H. T. Huynh, "Analyse de la distorsion spectrale d'images radar de surfaces de mer," *Can. Journal on Electr. and Comp. Eng.*, vol. 29, pp. 245–253, oct. 2004.
- [68] H. Joannis, P. Savoie, and D. Grenier, "Résistivité électrique de la luzerne," in *Demi-journée d'information scientifique sur les fourrages* (C. et CQPF, ed.), (Victoriaville (CANADA)), pp. 10–16, fév. 2004.
- [69] H. Joannis, P. Savoie, and D. Grenier, "Electrical Resistance of high Moisture Chopped Alfalfa," in *ASAE/CSAE/SCGR Annual International Meeting*, (Ottawa (ON)), Aug. 2004. Paper #041142.

- [70] H. Dombrowski, D. Grenier, and S. Roy, "ISAR Imaging with Array Antenna Receiver using AUTOCLEAN Algorithm," in *Can. Conf. on Electr. and Comp. Eng.*, (Niagara Falls (CANADA)), May 2004. Paper #5224.
- [71] L.-P. Gill and D. Grenier, "Mesures des caractéristiques radar du clinker en bande x pour l'évaluation volumétrique dans les silos," in *Can. Conf. on Electr. and comp. Eng.*, (Niagara Falls (CANADA)), May 2004. Paper #4229.
- [72] M. Florea, A.-L. Joussetme, D. Grenier, and E. Bossé, "Combining belief functions and fuzzy membership functions," in *SPIE - Sensor Fusion*, vol. 5099, (Orlando (FL)), pp. 113–123, May 2003.
- [73] M. Florea, D. Grenier, A.-L. Joussetme, and E. Bossé, "Fusion des données imparfaites l'aide des ensembles aléatoires," in *Congrès ACFAS*, (Québec (CANADA)), pp. S-207, [www.acfas.ca/congres/congres70/S570.HTM](http://www.acfas.ca/congres/congres70/S570.HTM), mai 2002.
- [74] A. M. Osman, P. Savoie, D. Grenier, and R. Thériault, "Parallel-plate capacitance moisture sensor for hay and forage," in *ASAE/CIGR International Meeting*, (Chicago (IL)), p. PN: 021055, July 2002.
- [75] A. M. Osman, P. Savoie, D. Grenier, and R. Thériault, "Real-time determination of moisture content in hay and forage using electromagnetic effects," in *NABEC 2002*, (Québec (QC)), June 2002. # 02-016.
- [76] M. Florea, A.-L. Joussetme, D. Grenier, and E. Bossé, "Unified approach to imperfect data fusion," in *SPIE - Sensor Fusion*, vol. 4731, (Orlando (FL)), pp. 75–85, April 2002.
- [77] A.-L. Joussetme, D. Grenier, and E. Bossé, "Analyzing approximation algorithms in the theory of evidence," in *SPIE - Sensor Fusion*, vol. 4731, (Orlando (FL)), pp. 65–74, April 2002.
- [78] F. Rhéaume, A.-L. Joussetme, D. Grenier, E. Bossé, and P. Valin, "New multiple classifier based on dempster-shafer theory of evidence," in *SPIE - Sensor Fusion*, vol. 4729, (Orlando (FL)), pp. 319–328, April 2002.
- [79] E. Ménard, A.-L. Joussetme, and D. Grenier, "Application des systèmes à base de "valuation" aux problèmes de reconnaissance d'objets.," in *Congrès ACFAS*, (Sherbrooke (CANADA)), p. 25, mai 2001.
- [80] F. Rhéaume, A.-L. Joussetme, and D. Grenier, "Facteurs de qualité dans la fusion de classificateurs multiples," in *Congrès ACFAS*, (Sherbrooke (CANADA)), p. 25, mai 2001.
- [81] A.-L. Joussetme, E. Bossé, and D. Grenier, "More results on a metric to measure the performance of evidential reasoning for identity information fusion," in *Fusion 2001 Conf.*, vol. 1, (Montréal (CANADA)), pp. TuB3-3 – TuB3-8, Aug. 2001.
- [82] E. Ménard, A.-L. Joussetme, D. Grenier, and E. Bossé, "Application of valuation-based systems to object recognition problem," in *Fusion 2001 Conf.*, vol. 2, (Montréal (CANADA)), pp. FrC2-17 – FrC2-24, Aug. 2001.
- [83] A. Osman, P. Savoie, D. Grenier, and R. Thériault, "Dynamic monitoring of crop moisture content in a forage harvester," in *CSAE/SCGR-NABEC Meeting*, (Guelph (CANADA)), July 2001.
- [84] A.-L. Joussetme, D. Grenier, and E. Bossé, "A new distance between two bodies of evidence," *Journal of Information Fusion*, vol. 2, pp. 91 – 101, June 2001.

- [85] J. Caron, D. Grenier, C. Ménard, T. Cliche, and B. Dansereau, "Measuring physical properties of peat substrates in containers to monitor irrigation and aeration needs," *International Peat Journal*, pp. 89–97, Jan. 2001.
- [86] C. Bouchard, D. Grenier, and J.-R. Larocque, "ISAR-RMSA Imaging Radar with High-Range Resolution Algorithm and Application to a Linear Phased Antenna," *Can. Journal on Electr. and Comp. Eng.*, pp. 155 – 161, Oct. 2000.
- [87] T. Cliche, J. Caron, and D. Grenier, "Contrôle in-situ de la fertirrigation de substrats tourbeux," in *11th International Peat Congress* (I. P. Society, ed.), (Québec (CANADA)), août 2000.
- [88] C. Lagarde and D. Grenier, "Complexity reduced direction-of-arrival estimation method for highly-correlated sources," *IEE Proc. Radar, Sonar & Propagation*, vol. 147, pp. 157 – 162, Aug. 2000.
- [89] A.-L. Joussetme, D. Grenier, and E. Bossé, "Adding decision rule to the shafer-logan algorithm for hierarchical identity information fusion," in *Fusion 2000 Conf.*, vol. 1, (Paris (FRANCE)), pp. TuB4–3–TuB4–9, July 2000.
- [90] A.-L. Joussetme, D. Grenier, and E. Bossé, "Conceptual exploration package for data fusion," in *SPIE - Sensor Fusion*, vol. 4051, (Orlando (FL)), pp. 203–214, April 2000.
- [91] T. Cliche and D. Grenier, "Mesures des paramètres électriques par les équations de propagation pour déterminer la teneur en eau et la salinité d' échantillons de sols," in *66 ème Congrès ACFAS*, (Québec (CANADA)), pp. 209–2, mai 1998.
- [92] C. Bouchard and D. Grenier, "ISAR Imaging Radar with Time-Domain High-Range Resolution Algorithms and Array Antenna," in *Can. Conf. on Electr. and Comp. Eng.*, (Waterloo (CANADA)), pp. 57–60, May 1998.
- [93] C. Bouchard and D. Grenier, "High-range resolution radar for the identification of approaching targets: Effects of parameters and measurements," in *Can. Conf. on Electr. and Comp. Eng.*, (St-John's NF (CANADA)), pp. 363–366, May 1997.
- [94] C. Lagarde and D. Grenier, "Application of reduced direction-of-arrival estimation method for highly correlated sources," in *Can. Conf. on Electr. and Comp. Eng.*, (St-John's NF (CANADA)), pp. 219–222, May 1997.
- [95] J. Larocque and D. Grenier, "Application of new algorithm for ISAR Imaging to a linear phase array antenna," in *Can. Conf. on Electr. and Comp. Eng.*, (St-John's NF (CANADA)), pp. 351–354, May 1997.
- [96] D. Grenier and E. Bossé, "Decorrelation performance of deese and spatial smoothing techniques for direction-of-arrival problems," *IEEE Trans. on Signal Process.*, pp. 1579–1584, June 1996.
- [97] D. Grenier and E. Bossé, "A new spatial smoothing scheme for direction-of-arrivals of correlated sources," *Signal Processing Journal*, vol. 54, pp. 153–160, June 1996.
- [98] D. Grenier, E. Pigeon, and R. Turner, "High-range resolution mono-frequency pulsed radar for the identification of approaching targets using subsampling and the music algorithm," *IEEE Signal Processing Letters*, pp. 179–182, June 1996.

- [99] E. Bossé, J. Roy, and D. Grenier, "Data fusion concepts applied to a suite of dissimilar sensors," in *Can. Conf. on Electr. and Comp. Eng.*, (Calgary (CANADA)), pp. 692–695, May 1996.
- [100] H. Wu, D. Grenier, G. Delisle, and D. Fang, "Translational motion compensation in isar image processing," *IEEE Trans. on Image Process.*, vol. 4, pp. 1561–1571, Nov. 1995.
- [101] M. Lefebvre and D. Grenier, "La configuration bistatique pour des mesures en hyperfréquence sur des matériaux aux propriétés anisotropes," in *Proc. Can. Conf. Electr. and Comp. Eng.*, (Montréal (Canada)), pp. 890–893, sept. 1995.
- [102] A. Malécot and D. Grenier, "Synthèse adaptative du diagramme de rayonnement," *Can. Journal on Electr. and Comp. Eng.*, vol. 20, pp. 179–186, déc. 1995.
- [103] A. Demers and D. Grenier, "étude du facteur de corrélation effectif de sources cohérentes après traitement par diversité d'espace," in *62ème Congrès ACFAS*, (Montréal (CANADA)), p. 174, mai 1994.
- [104] N. Duclos-Hindié and D. Grenier, "Imagerie radar d'une cible en utilisant la méthode du spot-isar avec traitement de l'image," in *62ème Congrès ACFAS*, (Montréal (CANADA)), p. 174, mai 1994.
- [105] N. Duclos-Hindié and D. Grenier, "Imagerie radar d'une cible en utilisant la méthode du "spot-isar" avec traitement du signal," in *Can. Conf. on Electr. and Comp. Eng.*, (Halifax (CANADA)), pp. 775–776, sept. 1994.
- [106] A. Malécot and D. Grenier, "Synthèse adaptative d'un diagramme de rayonnement d'une antenne-réseau," in *Can. Conf. on Electr. and Comp. Eng.*, (Halifax (CANADA)), pp. 477–480, sept. 1994.
- [107] S. Paré and D. Grenier, "Effet de la fréquence sur la corrélation effective après traitement par diversité d'espace," in *Can. Conf. on Electr. and Comp. Eng.*, (Halifax (CANADA)), pp. 643–646, sept. 1994.
- [108] E. Pigeon and D. Grenier, "Identification of high speed targets facing the radar according to their length and signature," in *Can. Conf. on Electr. and Comp. Eng.*, (Halifax (CANADA)), pp. 417–420, sept. 1994.
- [109] G. Delisle, H. Wu, and D. Grenier, "Moving target imaging and trajectory computation using isar," *IEEE Trans. on Aerosp. and Electr. Syst.*, vol. 30, pp. 877–899, July 1994.
- [110] D. Grenier, "Effective correlation factor after translational & rotational invariances processing: Spatial smoothing & deese methods," in *Proc. of 7th SSAP Workshop*, (Québec (CANADA)), pp. 117–120, June 1994.
- [111] D. Grenier, G. Delisle, and B. Philibert, "Identification superrésolutive de sources corrélées par décomposition de la base du sous-espace source estimé," *revue Traitement du Signal*, vol. 10-1, pp. 3–14, avril 1993.
- [112] H. Wu, D. Grenier, and G. Delisle, "Multiple scatterer algorithm for isar motion compensation," in *3rd International Symp. on Antennas and EM Theory*, (Nanjing (CHINA)), pp. 428–431, Sept 1993.
- [113] D. Grenier, "A simple approach to em field mapping in a room by multi-reflection ray tracing," in *Proc. 1993 Annual Research Conf. of CITR*, (Montréal (CANADA)), Aug. 1993.



- [114] H. Wu, G. Delisle, and D. Grenier, "New motion compensation methods for isar imaging," in *Proc. 24th Gen. Assembly of URSI*, (Kyoto (JAPAN)), p. 666, Aug. 1993.
- [115] M. Lecours, D. Grenier, M. Baqarhi, and S. Cherkaoui, "Measurements and simulation of received signals in rooms and corridors at 900mhz and in the 20-60ghz band," in *IEEE-93 Vehicular Techno. Conf.*, (Whippany (NJ)), pp. 871–874, May 1993.
- [116] B. Masson and D. Grenier, "Développement d'un système d'exploitation sur un processeur tms320c25," in *60ème Congrès ACFAS*, (Montréal (CANADA)), p. 156, mai 1992.
- [117] B. Masson, D. Grenier, and P. Fortier, "Implementation of an operating system on a tms320c25 processor," in *Can. Conf. on Electr. and Comp. Eng.*, (Toronto (CANADA)), pp. 6.33.1–6.33.4, sept. 1992.
- [118] D. Michaud and D. Grenier, "Imagerie radar à ouverture synthétique inversée avec une méthode superrésolutive multidimensionnelle," in *60ème Congrès ACFAS*, (Montréal (CANADA)), p. 157, mai 1992.
- [119] D. Grenier and G. Delisle, "An improved algorithm for the spatial analysis of correlated sources," in *Proc. EUSIPCO-92*, (Brussels (BELGIUM)), pp. 653–656, Aug. 1992.
- [120] H. Wu, G. Delisle, and D. Grenier, "Cross range velocity computation for isar imaging," in *IEEE Antennas and Propagat. Symp.*, (Chicago (IL)), pp. 1102–1105, July 1992.
- [121] H. Wu, G. Delisle, D. Grenier, and D. Fang, "Spectral analysis for trajectory computation in isar imaging," in *International Conf. on MicroWaves and Communications*, (Nanjing (CHINA)), pp. 326–331, June 1992.
- [122] D. Grenier, "Synthèse adaptative d'un diagramme de rayonnement d'une antenne réseau," in *Can. Conf. on Electr. and Comp. Eng.*, (Québec (CANADA)), pp. 24.2.1–24.2.4, sept. 1991.
- [123] D. Grenier and R. Turner, "Super-resolution applied to isar: First results using the paritale algorithm," in *Proc. EUSIPCO-90*, (Barcelona (SPAIN)), pp. 633–636, Sept 1990.
- [124] D. Grenier and G. Delisle, "Technique superrésolutive d'identification de sources totalement corrélées," *Can. Journal on Electr. and Comp. Eng.*, vol. 14, pp. 82–88, mars 1989.
- [125] D. Grenier, *Application du traitement du signal à l'analyse de sources corrélées à bande étroite*. PhD thesis, Université Laval, Québec (CANADA), fév. 1989.
- [126] D. Grenier and G. Delisle, "Identification d'un groupe de sources totalement corrélées," in *Can. Conf. on Electr. and Comp. Eng.*, (Vancouver (CANADA)), pp. 276–279, nov. 1988.
- [127] J. Munier, G. Jourdain, G. Delisle, and D. Grenier, "A new algorithm for the identification of distorted wavefronts," in *NATO ASI, Underwater Acoust.*, (Kingston (CANADA)), July 1988.
- [128] D. Grenier, G. Delisle, and J. Munier, "Localisation de sources à courte distance basée sur une dépendance linéaire de la matrice des vecteurs sources," in *55ème Congrès ACFAS*, (Ottawa (CANADA)), p. 152, mai 1987.

- [129] J. Munier, G. Delisle, and D. Grenier, "Localisation de sources partiellement corr ees   courte distance," in *Proc. GRETSI-87*, (Nice (FRANCE)), pp. 373–376, juin 1987.
- [130] D. Grenier and G. Delisle, "Traitement du signal aux radio-fr quences," in *54 me Congr s ACFAS*, (Montr al (CANADA)), p. 188, mai 1986.
- [131] D. Grenier and G. Delisle, "Simulateur radar intelligent," in *53 me Congr s ACFAS*, (Chicoutimi (CANADA)), p. 149, mai 1985.